

PROVINCE OF BRITISH COLUMBIA

ORDER OF THE LIEUTENANT GOVERNOR IN COUNCIL

Order in Council No. **356**


, Approved and Ordered **MAY 17 2006**


Lieutenant Governor

Executive Council Chambers, Victoria

On the recommendation of the undersigned, the Lieutenant Governor, by and with the advice and consent of the Executive Council, orders that

- (a) the Municipal Sewage Regulation, B.C. Reg. 129/99, is amended as set out in sections 1 to 4 of the attached Schedule, and
- (b) the Waste Discharge Regulation, B.C. Reg. 320/2004, is amended as set out in section 5 of the attached Schedule.



Minister of Environment and Minister Responsible for
Water Stewardship and Sustainable Communities



Presiding Member of the Executive Council

(This part is for administrative purposes only and is not part of the Order.)

Authority under which Order is made:

Act and section:- Environmental Management Act, S.B.C. 2003, c. 53, ss. 138 and 139

Other (specify):- oics 507/99 and 723/2004

April 19, 2006

384 /2006/14

SCHEDULE

MUNICIPAL SEWAGE REGULATION

- 1** *Section 19 of the Municipal Sewage Regulation, B.C. Reg. 129/99, is repealed and the following substituted:*

Municipal sewage connection to industrial sewer system

- 19** This regulation does not apply to the release of municipal sewage to an industrial sewer system if
- (a) discharge from the industrial sewer system to the receiving environment is otherwise authorized by a permit or approval issued, or a regulation made, under the Act, and
 - (b) the ratio of industrial discharge flow to municipal sewage flow is greater than 10:1.

- 2** *Schedule 4 is amended*

- (a) in section 1 (1) by striking out “In this note,” and substituting “In this section,”,*
- (b) in section 3 by striking out “note 2 (b) of this Schedule,” and substituting “section 2 (b) of this Schedule,” and*
- (c) by repealing the heading of Table 4 and substituting the following:*

Table 4 – Minimum Drainage Pipe Length for Each Field (11).

- 3** *Appendix 1 to Schedule 4 is amended*

- (a) by repealing note 2 and substituting the following:*

- 2** Flow calculations must be made by a qualified professional acting within the qualified professional’s area of expertise. ,

- (b) in note 6 by striking out everything after “volume monitoring is required.”, and*

- (c) by adding the following note:*

- 11** See section 5 (3) (g) of Schedule 7 for design requirements.

- 4** *Section 5 (3) (b) of Schedule 7 is repealed and the following substituted:*

- (b) percolation rates must be determined by a qualified professional acting within the qualified professional’s area of expertise; .

WASTE DISCHARGE REGULATION

5 *Section 3 (1) to (3) of the Waste Discharge Regulation, B.C. Reg. 320/2004, is repealed and the following substituted:*

- (1) In this section, “**domestic sewage**” and “**sewerage system**” have the same meanings as in the Sewerage System Regulation, B.C. Reg. 326/2004.
- (2) The discharge of domestic sewage to a sewerage system is exempt from the Act and regulations if the Sewerage System Regulation applies to that discharge and sewerage system.